MOBILE ELECTRIC STAND FOR INTERACTIVE FLAT PANELS Avtek TouchScreen Electric Stand V2



Inspire | Engage | Lead




Avtek TouchScreen Electric Stand V2

Technical Specification

Mobile electric stand is a perfect solution for users who want to maintain maximum convenience when using the interactive flat panel. Thanks to its design it works even with 86" monitors.

Safe and simple adjustment is effortless, so presenters do not have do not have to worry about height management - it can be done efficiently and accurately by using a remote control, control panel or even straight from the interactive flat panel!

Electric adjustable height control



Additional tray for accessories

Rubberized rolling caster

AVTEK TOUCHSCREEN ELECTRIC STAND V2

Dedicated to devices	Max. 86-inch interactive flat panels
Load capacity	100 kg
Mount adjustment range	0-500 mm
Control mode	Control box, remote or interactive flat panel's side tool bar
Wheel lock	Yes
Accessories	AC power cable, Remote, USB Adapter Cable, AC power adapter, Wallmount
Net weight	44 kg
Gross weight	48 kg
Minimum product dimensions	1090 × 792 × 1313 mm
Maxiumum product dimensions	1090 × 792 × 1813 mm
Packing dimensions	1075 × 620 × 270 mm
Power requirements	100~240V
Operation Temperature	0°C - 40°C
Operation Humidity	10% - 90%
Storage Temperature	-20°C - 60°C
Storage Humidity	10% - 90%
Altitude	Below 2000 m MSL
Standard warranty	2 years

This specification is for information purposes only and is not an official offer. Specifications and technical specifications are subject to change. The actual appearance of the devices may differ from the one shown in the pictures.






















1313-1813