

Document shredders DAHLE 116




- User-friendly document shredder for large volumes
- Clearly designed, user-friendly control panel
- Electronic start-stop function
- Convenient automatic reverse function
- Convenient feed and reverse function
- Automatic motor cut-out
- Energy-saving sleep mode after 10 minutes at idle and automatic shut-down after 30 minutes
- High-quality solid-steel cutters
- Powerful motor
- Extremely quiet operation
- Separate CD feed and waste container
- High-quality wooden cabinet
- Wide-opening doors
- Convenient swivel casters
- Separate main switch
- IEC power connector
- 11 strong waste bags included
- Dimensions (H x W x D): 960 x 734 x 511 mm



CE Compliance



High-volume document shredders: maximum performance to meet high expectations.



Entry width 400 mm



Waste collection volume 160 litres



Wattage 1650 watts



Strip cut



Convenient swivel casters with brake for reliably keeping the document shredder firmly in place



Carries the GS Intertek test mark



Energy-saving sleep mode after 10 minutes at idle and automatic shut-down after 30 minutes



Extremely quiet operation for a particularly pleasant working atmosphere



35-year guarantee on the cutters



German Engineering by Dahle

Article number	Shreds A4 80 gsm paper	Shred width in mm	Security levels	Aut- tom. oiler	CDs/ DVDs	Cards	Paper clips	dB (A) when idle	EAN
40606-05223	36.0	5.8 mm	P-2/O-2/T-2/E-2	-	■	■	■	50	4007885248868

Document shredders DAHLE 116



Separate main switch is located on the rear of the document shredder and completely disconnects it from the mains power supply

Detachable IEC power plug makes the document shredder quick and easy to move from A to B

Pull-out rounded top frame that's kind on the fingers when changing the waste bag

Document shredders DAHLE 116



Separate, integrated waste boxes help to sort shredded paper, CDs, DVDs, cheque and credit cards for eco-friendly recycling



P-2 security: recommended, for example, for data media containing internal data that are to be made illegible